Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

extra neutral bar for distribution terminal block - 100 A



13515

! Discontinued on: 01-Nov-2020

(!) Discontinued

Main

Range Of Product	Prisma PH Canalis KV Prisma G Prisma P Prisma GX
Product Or Component Type	Extension module
Comb Busbar, Distribution Terminal Block Accessory Type	Neutral bar
Poles Description	1N
Accessory / Separate Part Category	Connection accessories

Complementary

Distribution Block Outgoers	4 x 7 holes
Mounting Support	35 mm symmetrical DIN rail Multifix rail
[le] Rated Operational Current	100 A
[Ui] Rated Insulation Voltage	500 V AC
[Icw] Rated Short-Time Withstand Current	3.5 kA for 1 s
[lpk] Rated Peak Withstand Current	20 kA
Busbar Length	62 mm
Kit Composition	Open screws Insulating back Cover
Connections - Terminals	Cable616 mm² semi-rigid
Product Compatibility	Pragma D18 modular enclosures Prisma functional enclosures All enclosures Pragma C12 modular enclosures Pragma F24 modular enclosures

Environment

Standards	EN 60947-7-1	
Pollution Degree	3	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	0.5 cm	
Package 1 Width	9 cm	
Package 1 Length	9 cm	
Package 1 Weight	0.03 ka	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Compliant
	EU RoHS Declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins