Product datasheet

Specifications



distribution terminal block - 80 A - 32 holes

13579



and the second se

Main

Range Of Product	Kaedra Pragma D Pragma C Mini Pragma
Product Or Component Type	Terminal block

Complementary

[In] Rated Current	80 A
[Ui] Rated Insulation Voltage	500 V
Number Of Terminal Blocks	1 (screw + fast) with 32 outgoers
Distribution Block Outgoers	16 x 10 mm² 16 x 16 mm²
Market Segment	Small commercial Residential

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	3 cm
Package 1 Length	24 cm
Package 1 Weight	97 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	2.5 cm
Package 2 Width	15 cm
Package 2 Length	24 cm
Package 2 Weight	502 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	100
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm

Package 3 Weight

10.527 kg

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information
Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations