Product datasheet

Specifications

Green Premium™

Dual Telecommunication Outlets (Tel. RJ11 + Data RJ45), Grey Silver

E3032TD_GS

Discontinued on: 30-Jun-2023

Discontinued

Main

Range	Neo C-Metro
Product Or Component Type	Data/telephone socket
Colour Tint	Grey silver

Complementary

Rated Current	1.5 A at 125 Vrms AC
Communication Network Category	Voice: 3e Data: 5e
Insulation Resistance	>= 1000 MOhm for voice >= 200 mOhm for data
Contact Resistance	Data: 1000 µOhm Voice: 100000 µOhm
Number Of Gangs	2 gangs
Minimum Return Loss	23 dB
Awg Gauge	Data: AWG 26...AWG 22(4 twisted pair cables) Voice: AWG 26...AWG 24(2 twisted pair cables)
Contacts Material	Contact: phosphor bronze for voice module Contact: phosphor bronze with gold plating for data module IDC contact: phosphor bronze with nickel plating for data module IDC contact: phosphor bronze with tin plating for voice module
Material	Voice: PBT 15 % FG insert PC housing Polycarbonate plastic part
Device Mounting	Surface Flush
Width	87 mm
Height	87 mm
Depth	36 mm
Embedding Depth	28.4 mm

Environment

Dielectric Strength	Data: 1000 V for 60 s at 60 Hz Voice: 750 V for 60 s at 60 Hz
Ambient Air Temperature For Operation	0…40 °C
Relative Humidity	0…95 %
Environmental Characteristic	Indoor use

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	EIA/TIA 568 FCC part 68 ISO/IEC 11801 YD/T 577-92

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.6 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	92 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	8
Package 2 Height	15 cm
Package 2 Width	19 cm
Package 2 Length	8 cm
Package 2 Weight	750 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	80
Package 3 Height	21 cm
Package 3 Width	31 cm
Package 3 Length	50 cm
Package 3 Weight	8500 g

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations