Product datasheet

Specifications

Green Premium™

TeSys D - suppressor module - varistor - 50...127 V AC/DC

LA4DE1G

⚠ **Discontinued on:** 05-Apr-2023

⚠ **End-of-service on:** 29-Dec-2023

⚠ **Discontinued**

Main

Range	TeSys
Device Short Name	LA4D
Product Or Component Type	Suppressor module
Product Compatibility	3P LC1D80...D115

Complementary

Mounting Mode	By screws
Suppressor Technology	Varistor (peak limiting)
[Uc] Control Circuit Voltage	50...127 V AC 50/60 Hz
Maximum Peak Voltage	2 Uc

Environment

Ambient Air Temperature For Operation	-25…55 °C
Ambient Air Temperature For Storage	-40…80 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	4.1 cm
Package 1 Length	5.0 cm
Package 1 Weight	15.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	78
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.385 kg

Contractual warranty

Warranty	18 months

Sustainability ![Green Premium]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

                                         EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                         Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   No need of specific recycling operations

Life Is On | Schneider Electric