Product datasheet

Specification





Prisma iPM L - mounting plate for Compact630 toggle/handle vertical orientation

LSL58820V

Main

Range	Prisma
Range Of Product	Prisma iPM
Range Compatibility	Prisma Prisma iPM L enclosure
Product Or Component Type	Mounting plate
Mounting Plate Description	Dedicated
Installed Device	EasyPact: fixed CVS400 without earth leakage protection - control: toggle EasyPact: fixed CVS630 without earth leakage protection - control: toggle EasyPact: fixed CVS630 without earth leakage protection - control: toggle EasyPact: fixed EZC400 without earth leakage protection - control: toggle EasyPact: fixed EZC400 without earth leakage protection - control: toggle EasyPact: fixed EZC630 without earth leakage protection - control: toggle ComPact: fixed NSX400 without earth leakage protection - control: toggle ComPact: fixed NSX400 with earth leakage protection - control: toggle ComPact: fixed NSX630 without earth leakage protection - control: toggle ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle ComPact: fixed INS320400 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle
	ComPact: fixed NSX630 with earth leakage protection - control: direct front rotary handle
Poles Description	1 x 3P: fixed CVS400 1 x 4P: fixed CVS400 1 x 3P: fixed CVS630 1 x 4P: fixed CVS630 1 x 3P: fixed EZC400 1 x 3P: fixed EZC400 1 x 3P: fixed EZC630 1 x 3P: fixed EZC630 1 x 3P: fixed NSX400 1 x 3P: fixed NSX400 1 x 4P: fixed NSX630 1 x 3P: fixed NSX630 1 x 4P: fixed NSX630 1 x 4P: fixed NSX630 1 x 3P: fixed INS320400 1 x 3P: fixed INS320400 1 x 3P: fixed INS500630 1 x 4P: fixed INS500630

Complementary

Accessory / Separate Part Category	Installation accessory
Enclosure/Cubicle Description	Wall-mounted enclosure
Number Of Vertical Modules [50 Mm]	11 module(s): CVS400 without earth leakage protection, direct in wall-mounted enclosure
	13 module(s): CVS400 with earth leakage protection, direct in wall-mounted enclosure
	14 module(s): CVS630 without earth leakage protection, direct in wall-mounted enclosure
	16 module(s): CVS630 with earth leakage protection, direct in wall-mounted enclosure
	11 module(s): EZC400 without earth leakage protection, direct in wall-mounted enclosure
	14 module(s): EZC630 without earth leakage protection, direct in wall-mounted enclosure
	11 module(s): NSX400 without earth leakage protection, direct in wall-mounted enclosure
	13 module(s): NSX400 with earth leakage protection, direct in wall-mounted enclosure
	14 module(s): NSX630 without earth leakage protection, direct in wall-mounted enclosure
	16 module(s): NSX630 with earth leakage protection, direct in wall-mounted enclosure
	10 module(s): INS320400 without earth leakage protection, direct in wall-mounted enclosure
	12 module(s): INS500630 without earth leakage protection, direct in wall-mounted enclosure
Position	Vertical

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	25.0 cm
Package 1 Length	47.0 cm
Package 1 Weight	1.655 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
⊘	Mercury Free
⊘	Rohs Exemption Information Yes
⊘	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations