



Door switch for SPACIAL WM enclosure. N/C contact (on lock), 3 A/240 V AC.

NSYINLCRN



Main

Range	Spacial	
Product Or Component Type	Door switch	
Application	Multi-purpose	
Nominal Dimensions Of The Housing	-	
Mounting Location	Enclosure	
Range Compatibility	Spacial cannot be installed on 19" mounting plates Spacial S3D, CRN, S3X enclosures	
Device Composition	Fixing elements 1 x switch/commutator unit 1 x fixing support	
Quantity Per Set	Set of 1	

Complementary

Fixing Mode	Direct fixing - enclosure location
Input Type	NC + NO
Absolute Maximum Input	3 A/240 V

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	9.0 cm
Package 1 Length	18.0 cm
Package 1 Weight	180.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	24
Package 2 Height	40.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	4.752 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	768

Package 3 Height	120 cm	
Package 3 Width	80 cm	
Package 3 Length	171 cm	
Package 3 Weight	162 ka	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations